

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	9	(709/244.ccls. and 709/240.ccls.) and @ad<"20000320"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/12 08:42
L2	0	L1 and @pd>"20050712"	US-PGPUB; USPAT	OR	OFF	2005/12/12 08:42
L3	11	(709/244.ccls. and 709/227,228.ccls.) and @ad<"20000320"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/12 08:42
L4	11	(709/240.ccls. and 709/227,228.ccls.) and @ad<"20000320"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/12 08:42
L5	0	(L3 L4) and @pd>"20050712"	US-PGPUB; USPAT	OR	OFF	2005/12/12 08:43
L6	23	((resource\$1 same connection same reserv\$7 same user) and (egress or ingress)) and @ad<"20000320"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/12 08:43
L7	0	L6 and @pd>"20050712"	US-PGPUB; USPAT	OR	OFF	2005/12/12 08:43
L8	20	(reserv\$6 near2 server) same ((end\$6 or edge or proxy) near server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/12 08:43
L9	3	L8 and @pd>"20050712"	US-PGPUB; USPAT	OR	OFF	2005/12/12 08:43
S1	2792	713/201.ccls.	US-PGPUB; USPAT	OR	OFF	2004/07/19 14:30
S2	119	709/227,228.ccls. and 713/201.ccls.	US-PGPUB; USPAT	OR	OFF	2004/07/19 14:31
S3	82	(709/227,228.ccls. and 713/201.ccls.) and @ad<"20000320"	US-PGPUB; USPAT	OR	OFF	2005/07/12 18:14
S4	1	virtual near2 (connection or path or circuit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/19 14:32

S5	13516	virtual near2 (connection or path or circuit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/19 14:32
S6	1334	reserv\$6 near2 server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/19 14:32
S7	8403	(end\$6 or edge or proxy) near server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/19 14:33
S8	0	((reserv\$6 near2 server) same ((end\$6 or edge or proxy) near server) same ((virtual near2 (connection or path or circuit)) same request\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/19 14:35
S9	0	((reserv\$6 near2 server) same ((end\$6 or edge or proxy) near server) and ((virtual near2 (connection or path or circuit)) same request\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/19 14:34
S10	1	((reserv\$6 near2 server) and ((end\$6 or edge or proxy) near server) same ((virtual near2 (connection or path or circuit)) same request\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/19 14:37
S11	10	((reserv\$6 near2 server) same ((end\$6 or edge or proxy) near server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/19 14:35
S12	4	((reserv\$6 near2 server) same ((end\$6 or edge or proxy) near server)) and @ad<"20000320"	US-PGPUB; USPAT	OR	OFF	2004/07/19 14:37
S13	17	((end\$6 or edge or proxy) near server) same ((virtual near2 (connection or path or circuit)) same request\$3)	US-PGPUB; USPAT	OR	OFF	2004/07/19 14:37
S14	18	((end\$6 or edge or proxy) near server) same ((virtual near2 (connection or path or circuit)) same request\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/19 14:37

S15	9	((end\$6 or edge or proxy) near server) same ((virtual near2 (connection or path or circuit)) same request\$3)) and @ad<"20000320"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/19 14:37
S16	2326	(virtual near2 (connection or path or circuit)) same request\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/27 12:26
S17	2909	709/227,228.ccls.	US-PGPUB; USPAT	OR	OFF	2004/07/20 13:38
S18	106	((virtual near2 (connection or path or circuit)) same request\$3) and 709/227,228.ccls.	US-PGPUB; USPAT	OR	OFF	2004/07/20 13:38
S19	72	((virtual near2 (connection or path or circuit)) same request\$3) and 709/227,228.ccls.) and @ad<"20000320"	US-PGPUB; USPAT	OR	OFF	2004/07/20 13:38
S20	5478	blair.xa. Douglas.xa.	US-PGPUB; USPAT	OR	OFF	2004/07/26 13:21
S21	7	blair.xa. and Douglas.xa.	US-PGPUB; USPAT	OR	OFF	2004/07/26 13:28
S22	285	(egress or ingress) same virtual near2 (connection or path or circuit)	US-PGPUB; USPAT	OR	OFF	2004/07/26 13:37
S23	71	((egress or ingress) same virtual near2 (connection or path or circuit)) same (request\$3 or reserv\$7)	US-PGPUB; USPAT	OR	OFF	2004/07/26 13:38
S24	29	((egress or ingress) same virtual near2 (connection or path or circuit)) same (request\$3 or reserv\$7)) and @ad<"20000320"	US-PGPUB; USPAT	OR	OFF	2004/07/26 13:38
S25	10578	(virtual near (connection or path or circuit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/27 12:29
S26	347	reservation near server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/27 12:29
S27	4	((virtual near (connection or path or circuit))) same (reservation near server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/27 12:31

S28	32	((virtual near (connection or path or circuit))) and (reservation near server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/27 12:32
S29	23	((virtual near (connection or path or circuit))) and (reservation near server)) and @ad<"20000320"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/27 13:01
S30	13	("6011780" "6046981" "6141319" "6222820" "6240463" "6363319" "6408005" "6442138" "6449253" "6493317" "6493318" "6504819" "6529499").PN.	USPAT	OR	OFF	2004/07/27 12:40
S31	13	((virtual near (connection or path or circuit))) same (reserv\$7 near user)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/27 13:03
S32	10	((virtual near (connection or path or circuit))) same (reserv\$7 near user)) and @ad<"20000320"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/27 13:04
S33	10	((virtual near (connection or path or circuit))) same (database near2 user)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/27 13:04
S34	7	((virtual near (connection or path or circuit))) same (database near2 user)) and @ad<"20000320"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/27 13:07
S35	362	resource\$1 same connection same reserv\$7 same user	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/27 13:07
S36	42	(resource\$1 same connection same reserv\$7 same user) and (egress or ingress)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/27 13:07
S37	20	((resource\$1 same connection same reserv\$7 same user) and (egress or ingress)) and @ad<"20000320"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/27 14:51

S38	140	709/244.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/27 14:51
S39	2919	709/227,228.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/27 14:51
S40	224	709/240.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/27 14:52
S41	1684	709/238.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/27 14:52
S42	450	709/237.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/27 14:52
S43	14	709/244.ccls. and 709/227,228.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/27 14:52
S44	11	(709/244.ccls. and 709/227,228.ccls.) and @ad<"20000320"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/27 14:55
S45	15	709/240.ccls. and 709/227,228.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/27 14:55
S46	10	(709/240.ccls. and 709/227,228.ccls.) and @ad<"20000320"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/27 14:57
S47	8	709/244.ccls. and 709/240.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/27 14:57

S48	6	(709/244.ccls. and 709/240.ccls.) and @ad<"20000320"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/27 15:04
S49	5	reserv\$7 near server same "virtual connection"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/27 15:04
S50	1	(reserv\$7 near server same "virtual connection") and @ad<"20000320"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/27 15:04
S51	0	reserv\$7 near server same "virtual path"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/27 15:05
S52	1	reserv\$7 near server same "virtual circuit"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/27 15:07
S53	260	"reservation server"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/27 15:07
S54	2	"reservation server" same (user near database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/27 15:07
S55	1150	(user or client) same (qos or "quality of service" or bandwidth) same reserv\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/04 11:58
S56	5406	713/200-202.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/04 11:58
S57	8	713/200-202.ccls. and ((user or client) same (qos or "quality of service" or bandwidth) same reserv\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/04 12:09

S58	8	knight.in. and cisco.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/04 12:10
S59	38	packet same (source near address) same (destination near address) same "port number" same (qos or "quality of service" or bandwidth or (reservation near resource))	US-PGPUB; USPAT	OR	OFF	2004/08/08 18:27
S60	12	(packet same (source near address) same (destination near address) same "port number" same (qos or "quality of service" or bandwidth or (reservation near resource))) and @ad<"20000320"	US-PGPUB; USPAT	OR	OFF	2004/08/08 18:28
S61	3	(709/227,228.ccls. and 713/201.ccls.) and @ad<"20000320" and @pd>"20040727"	US-PGPUB; USPAT	OR	OFF	2005/07/12 18:15
S62	17	(reserv\$6 near2 server) same ((end\$6 or edge or proxy) near server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/12 18:15
S63	6	S62 and @pd>"20040727"	US-PGPUB; USPAT	OR	OFF	2005/07/12 18:15
S64	12	(US-20010048682-\$).did. or (US-6021263-\$ or US-6363319-\$ or US-6529499-\$ or US-6563793-\$ or US-6571287-\$ or US-6690678-\$ or US-6694429-\$ or US-6714987-\$ or US-6744767-\$ or US-6760336-\$ or US-6768738-\$).did.	US-PGPUB; USPAT	OR	OFF	2005/12/11 11:39
S65	4	S64 and (reservation near request)	US-PGPUB; USPAT	OR	OFF	2005/12/11 11:40